
FELINE NF RENAL FUNCTION™ EARLY CARE

Complete dietetic dry pet food for adult cats for the support of renal function in case of early stages of feline chronic renal insufficiency (CRI).





Moderate amount of high quality protein

to support renal function from the early stages and help maintain an adequate muscle mass



Early restricted level of phosphorus to help slow the progression of chronic renal insufficiency



With restricted level of phosphorus and added omega-3 fatty acids, potassium and antioxidants to help assist with early kidney care

RECOMMENDED FOR &

Ř

Specifically formulated to meet the needs of cats with early stages of CRI

High palatability for good acceptance

Dietary phosphorus restriction

to help slow the progression of CRI and minimise the risk of secondary nutritional hyperparathyroidism

Added potassium

to help reduce the risk of hypokalemia in CRI

Helps reduce the recurrence of uroliths (calcium oxalate) requiring urine alkalization

Minimizes formation of toxic uraemic compounds by providing a moderate amount of amino acids

May help to reduce glomerular hypertension and inflammation thanks to omega-3 fatty acids

Added B-complex vitamins to compensate loss through polyuria linked with CRI

Sources of fibre to promote good faecal consistency in cats with CRI

FELINE NF RENAL FUNCTION™ EARLY CARE

COMPOSITION (DRY)

Wheat flour^{*}, corn^{*}, rice^{*}, wheat gluten^{*}, soya meal^{*}, corn protein meal^{*}, pork fat, dried beet pulp, dried egg^{*}, minerals, pea hulls, hydrolysed soya protein^{*}, fish oil, digest^{*}, yeast, xylose.

* Protein sources.

COMPOSITION (POUCH)

Pork (kidney, liver, meat, dehydrated protein), chicken 8%, dried egg, fish oil, sunflower oil, dried yeast, salmon, rice, cellulose, minerals, various sugars.

KEY NUTRIENT VALUES*					
	Dry	Pouch			
Moisture	6.5%	80%			
Protein	29.0%	8.5%			
Fat - Omega-6 fatty acids - Omega-3 fatty acids - EPA + DHA	12.0% 1.8% 0.3% 0.23%	6.6% 1.45% 0.22% 0.11%			
Carbohydrates	44.5%	2.7%			
Crude fibre	3.0%	0.5%			
Calcium	0.6%	0.17%			
Phosphorus	0.35%	0.11%			
Potassium	0.8%	0.34%			
Sodium	0.2%	0.07%			
Vitamin A	25668 IU/kg	29450 IU/kg			
Vitamin D ₃	1261 IU/kg	422 IU/kg			
Vitamin E	585 IU/kg	272 IU/kg			
Taurine	1400 mg/kg	1230 mg/kg			
Metabolisable energy (ME) ¹	3794 kcal/kg	994 kcal/kg			

* Typical analysis in the final product as fed.

¹Calculated following NRC 2006 equations.

FEEDING GUIDELINES

The recommended period of use is initially up to 6 months. A gradual transition to a new diet may be especially helpful in cats with CRI. Cats with CRI that remain inappetent or anorexic cats should be assessed for nausea and uraemic gastritis. Warming the product to room temperature can enhance palatability for cats with a fussy appetite.

ADULT MAINTENANCE					
	Daily feeding quantity				
Body weight (kg)	Dry only	Pouch only	Dry + pouch combined		
	Dry (g/day)	Pouch/day	Dry (g/day)	Pouch/day	
2	30	11⁄3	20	1⁄3	
3	45	2	30	1/2	
4	60	2 3/4	35	1	
5	75	3 1⁄3	50	1	
>5	+ 15 g/kg	+ ² / ₃ pouch/kg	+ 15 g/kg	1	